

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	JP-2002270600-\$.did. JP-61163280-\$.did. JP-62168870-\$.did. JP-63302523-\$.did. JP-08260145-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 16:32
S2	2	JP-62158870-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 16:35
S3	2	DE-3336652-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 16:42
S4	1429	plasma and (electrode anode cathode) near5 (leaf arc brush) near5 (contact\$4 press\$4 between)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 16:44
S5	135	plasma and (electrode anode cathode) near5 (leaf arc brush) near5 (contact\$4 press\$4 between) near5 (conduct\$3 metal)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 16:45
S7	556	((156/345.43) or (156/345.47)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 16:55
S8	2	JP-04293782-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 17:11
S10	13	("4289598").URPN.	USPAT	OR	ON	2005/09/24 17:46
S9	1493	(118/723E).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 17:48

S12	421	S11 and plasma and (electrode anode cathode).ti,ab,clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 17:49
S11	5152	(118/715).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 17:49
S14	4862	((118/722) or (118/723R) or (118/728) or (156/345.1) or (156/345.51)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 18:04
S13	324	S12 not S9 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 18:04
S15	495737	(156/345.\$).CCLS. or (("118") or ("216") or ("427") or ("438") or ("204")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 18:05
S6	174	plasma and (electrode anode cathode) near5 (member element component sheet plate mesh) near5 (contact\$4 press\$4 between) near5 (conduct\$3 metal)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 18:05
S18	140	plasma and (electrode anode cathode) near5 (contact\$4 press\$4 between interpos\$4) near5 (conduct\$3 metal) near5 (holder support base)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 18:07
S17	7	plasma and (electrode anode cathode) near5 (contact\$4 press\$4 between interpos\$4) near5 (conduct\$3 metal) near5 (protru\$4 spring tension (leaf wave arc) near2 shape brush)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 18:07
S19	126	S18 not S6	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 18:09
S20	1	("20040126493").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/24 18:10

S16	1270	plasma and (electrode anode cathode) near5 (contact\$4 press\$4 between interpos\$4) near5 (conduct\$3 metal)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 18:10
S21	477	plasma and (electrode anode cathode) near5 (contact\$4 press\$4 between interpos\$4) near5 (conduct\$3 metal)	JPO	OR	ON	2005/09/26 12:38
L3	795	plasma and (electrode anode cathode) near5 (contact\$4 press\$4 between interpos\$4) near5 (conduct\$3 metal)	EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:38
L6	639	3 not L4 not L5	EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:39
L4	135	plasma and (electrode anode cathode) near5 (leaf arc brush) near5 (contact\$4 press\$4 between) near5 (conduct\$3 metal)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:39
L12	324	L11 not L9 not L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:40
L11	421	L10 and plasma and (electrode anode cathode).ti,ab,clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:40
L9	1493	(118/723E).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:40
L8	556	((156/345.43) or (156/345.47)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:40
L7	1254	(118/718).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:40

L5	174	plasma and (electrode anode cathode) near5 (member element component sheet plate mesh) near5 (contact\$4 press\$4 between) near5 (conduct\$3 metal)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:40
L16	1	("6827787").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 14:44
L18	2	JP-62027569-\$.did.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:10
L17	2	JP-62283423-\$.did.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:10
L19	9	("2405662" "2754230" "3206325").PN. OR ("3660146").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 15:28
L20	12	("3241519").URPN.	USPAT	OR	ON	2005/09/26 15:32
L21	23	("2590557" "2898241" "3170810" "3241519" "3253945" "3362848" "3394679" "3678892" "3954570").PN. OR ("4344988").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 15:36
L22	932	(118/720).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 15:40
L10	5152	(118/715).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 15:40
L14	323	13 and (tens\$4 deflect\$4 spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:41
L24	179	23 not 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:44

L23	203	22 and (tens\$4 deflect\$4 spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:44
L13	1158	7 not L8 not L9 not L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:44
L29	82	plasma and (electrode anode cathode) same (mask shield grid mesh) with (conduct\$3 metal) with (between interpos\$3 above below contact\$3) with (holder susceptor carrier esc chuck pedestal)	US-PGPUB; USPAT	OR	ON	2005/09/26 16:06
L30	13	("4158589" "4349409").PN. OR ("4950376").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 16:20
L31	27	("4070264" "4223048" "4289598" "4492716" "4633809" "4633811" "4643952" "4676195" "4735633" "4950376").PN. OR ("5039376").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 16:26
L32	309	27 not 29	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 16:39
L27	391	plasma and (electrode anode cathode) same (mask shield grid mesh) with (between interpos\$3 above below contact\$3) with (holder susceptor carrier esc chuck pedestal)	US-PGPUB; USPAT	OR	ON	2005/09/26 16:40
L34	555	26 and 33	US-PGPUB; USPAT	OR	ON	2005/09/26 16:44
L25	171	24 not L8 not L9 not L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:44

L36	19	("4184188" "4361643" "4384918" "4502094" "4599970" "4603466" "5117121" "5192371" "5376180" "5382311" "5447595" "5456756" "5463526" "5474614" "5528451" "5530616" "5531835" "5560780" "5583736").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 17:02
L33	1063	plasma and (electrode anode cathode) with (grid mesh layer plate member strip) with (between interpos\$3 above below contact\$3) with (substrate wafer workpiece work adj piece) same (holder susceptor carrier esc chuck pedestal)	US-PGPUB; USPAT	OR	ON	2005/09/26 17:08
L26	495737	(156/345.\$).CCLS. or (("118") or ("216") or ("427") or ("438") or ("204")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 17:08
L38	1038410	(156/345.\$).CCLS. or (("118") or ("216") or ("427") or ("438") or ("204") or ("219") or ("361") or ("414") or ("269") or ("279") or ("315")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 17:10
L40	0	("2004/0126493").URPN.	USPAT	OR	ON	2005/09/26 17:16
L39	200	37 and 38	US-PGPUB; USPAT	OR	ON	2005/09/26 17:21
L41	138	37 not 39	US-PGPUB; USPAT	OR	ON	2005/09/26 17:22
L43	671	42 and 38	US-PGPUB; USPAT	OR	ON	2005/09/26 17:30
L37	338	plasma and (electrode anode cathode) with (electrical\$3) with (contact\$3) with (holder susceptor carrier esc chuck)	US-PGPUB; USPAT	OR	ON	2005/09/26 17:30
L35	468	34 not 24 not L8 not L9 not L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 17:30
L44	471	43 not 34 not 24 not L8 not L9 not L12 not 39	US-PGPUB; USPAT	OR	ON	2005/09/26 17:31

L42	1863	(electrode anode cathode) with (electrical\$3) with (contact\$3) with (holder susceptor carrier esc chuck)	US-PGPUB; USPAT	OR	ON	2005/09/26 17:43
L46	119	(electrode anode cathode) near5 (electrical\$3) near5 (contact\$3) near5 (holder susceptor carrier esc chuck)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 17:46
L45	110	(electrode anode cathode) near5 (electrical\$3) near5 (contact\$3) near5 (holder susceptor carrier esc chuck)	USOCR	OR	ON	2005/09/26 17:46
L48	283	47 not 4 not 5	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 17:47
L47	283	(electrode anode cathode) near10 (electrical\$3) near10 (contact\$3) near10 (holder susceptor carrier esc chuck)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:02
L49	33	(electrode anode cathode) near10 (spac\$3) near10 (holder susceptor carrier esc chuck) and roller	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:04
L50	250	(akira near2 shimizu yuhsuke near2 fukuoka yasushi near2 fujioka katsushi near2 kishimoto katsuhiko near2 nomoto).in.	US-PGPUB; USPAT	OR	ON	2005/09/26 18:05
L51	10739	(sharp adj kabushiki adj kaisha). as.	US-PGPUB; USPAT	OR	ON	2005/09/26 18:06
L53	4	51 and plasma.clm. and (electrode anode cathode).clm. and (conduct\$3 metal\$3).clm. and (mesh grid member sheet plate layer shield mask component element strip).clm. and (holder susceptor carrier chuck esc).clm.	US-PGPUB; USPAT	OR	ON	2005/09/26 18:08
L52	1	50 and plasma.clm. and (electrode anode cathode).clm. and (conduct\$3 metal\$3).clm. and (mesh grid member sheet plate layer shield mask component element strip).clm. and (holder susceptor carrier chuck esc).clm.	US-PGPUB; USPAT	OR	ON	2005/09/26 18:08